



TIS CLICK SHAVER SOCKET

Modular Shaver Socket

Data Sheet Rev 3.1

Model: TIS-CLK-SHV-PLG



OVERVIEW

The TIS Click Shaver Socket supports both 110V and 220V grooming appliances, offering safe and reliable power for hotel and home bathroom environments.

KEY BENEFITS

- ➕ Compatible with both 110V and 220V appliances, perfect for international guests.
- ➕ Specifically designed for safe use in bathroom environments.
- ➕ Complements modern bathrooms with sophisticated modular frame options in black, gray, and gold.

KEY FEATURES

- ★ Built-in voltage compatibility for dual standard support.
- ★ Ideal for powering electric shavers and toothbrushes.
- ★ Durable and moisture-resistant design for bathroom installations.



BARCODE (UPC-A)



TIS CLICK SHAVER SOCKET


Modular Shaver Socket

Model: TIS-CLK-SHV-PLG

TIS



Things to note:



- Installation or removal must be performed by a professional electrician;
- Do not operate with wet hands to avoid electric shock;
- Do not use in short circuit or overload condition;
- It is strictly forbidden to install with power on;

PRODUCT SPECIFICATIONS

 Input	Input voltage	AC 220V
	Maximum Power	2000W
	Rated voltage	110V-250V
	Rated current	10 A
	Platform name	F platform
	Switch category	Function Module
 Functions	USB input voltage	<input type="radio"/>
	USB output voltage	<input type="radio"/>
	USB output current	<input type="radio"/>
	Zero live line	<input checked="" type="radio"/>
	Relay	<input type="radio"/>
	Variable backlight function	<input type="radio"/>
	Touch life	<input type="radio"/>
 Mounting	Installation method	National standard 86 installation base box
	Buried depth	≥45mm
 Features	CNC hemming, multiple colors available, socket with USB charging port. If users need power, a USB port can also be provided to charge electronic products.	
 Weight	Without packaging	125g
 Dimensions	Width x length x height	86mmx86mmx9mm(without base) 51.5mmx51.5mmx32.5mm(Part)
	 Housing	Surface material
Surface treatment		Aluminum oxide brushed, sprayed frosted, electroplated zinc alloy
IP rating		IP 50
Can be made into one piece		Single, double, triple, quadruple
	Outer frame bracket	J steel frame with bracket (horizontal and vertical installation), Z plastic narrow frame, K plastic wide frame, L aluminum frame, X zinc alloy frame



Copyright © 2025 TIS, All Rights Reserved

TIS Logo is registered trademark of TIS CONTROL.
All of the specification are subject to change without notice.

TIS CONTROL PTY LIMITED
SA, AUSTRALIA


TIS CONTROL LIMITED
Wanchai, Hong Kong

TIS CLICK SHAVER SOCKET

Modular Shaver Socket



Model: TIS-CLK-SHV-PLG

TIS



51.5mm

51.5mm



32.5mm



Copyright © 2025 TIS, All Rights Reserved

TIS Logo is registered trademark of TIS CONTROL.
All of the specification are subject to change without notice.

TIS CONTROL PTY LIMITED
SA, AUSTRALIA

TIS CONTROL LIMITED
Wanchai, Hong Kong