



TIS CLICK PANEL

Data Sheet Rev 3.1

1/2/3/4/6 Buttons

Model: TIS-CLK-xG-1F



OVERVIEW

With its elegant classical design, the ClickSeries available in three different colors with a stylish labeled push buttons. This capability is of great value for smart hotel and homes, because users can enjoy a combination of classic and new technology.

KEY BENEFITS

- + Control your lights, dimmers and RGB color
- + Open and Close your motorized curtains and shades
- + Set your favorite mood
- + 2 colors indicator for On/OFF statues

KEY FEATURES

- ★ Wall mount, Push buttons
- ★ Works with TIS-BUS Protocol
- ★ Available in Three different colors
- ★ Fit in UK and EU all backbox standard




BARCODE (UPC-A)















TIS CLICK PANEL

1/2/3/4/6 Buttons


Model: TIS-CLK-xG-1F




PRODUCT SPECIFICATIONS

 TIS Bus	Number of devices on 1 line Bus voltage Current consumption	Max. 64 12-32 V DC <35 mA / 24 V DC
 Protection		Reverse Polarity Protection ESD Protection
 Reaction time		approx. 20ms
 Mounting	Wall mount	by 2 screws on the back box (UK, Europe, US)
 Connection terminal	Data	2 male pins connectors to fit in panel addition
 Operating and display elements	1-6 Buttons Indicator LED TIS bus	For controlling lights, scene, etc... 1-6 White and Orange LED TIS Protocol messages and commands
 Functions	1 Press Long Press Double click	ON/OFF/Scene Dim or ramp the lights Extra Scene
 Weight	Without packaging	180g
 Dimensions	Width x length x height	86mmx86mmx7mm(32mm including switch box)
 Housing	Materials Casing color Internal Parts color IP rating	PC anti fire Aluminum Black IP 30
 Temperature range	Operation Storage Transport	-10...60°C -20...50°C -25...75°C
 Air humidity		<85% non-condensing


↔ 7.9mm



← 33.3mm →



← 86mm →



↑ 86mm ↓



Copyright © 2025 TIS, All Rights Reserved

TIS Logo is registered trademark of TIS CONTROL.
All of the specification are subject to change without notice.




TIS CONTROL PTY LIMITED
SA, AUSTRALIA

TIS CONTROL LIMITED
Wanchai, Hong Kong

TIS CLICK PANEL

1/2/3/4/6 Buttons

Model: TIS-CLK-xG-1F



Copyright © 2025 TIS, All Rights Reserved

TIS Logo is registered trademark of TIS CONTROL.
All of the specification are subject to change without notice.



TIS CONTROL PTY LIMITED
SA, AUSTRALIA

TIS CONTROL LIMITED
Wanchai, Hong Kong

TIS CLICK PANEL

1/2/3/4/6 Buttons

Model: TIS-CLK-xG-1F



Copyright © 2025 TIS, All Rights Reserved

TIS Logo is registered trademark of TIS CONTROL.
All of the specification are subject to change without notice.

TIS CONTROL PTY LIMITED
SA, AUSTRALIA

TIS CONTROL LIMITED
Wanchai, Hong Kong