





Data Sheet Rev 3.1

TIS SOL 3 GANG PANEL

3-Gang Touch Panel

Model: TIS-SOL-3G



OVERVIEW


The SOL 3 Gang panel is a luxury wall-mounted panel with 3 touch buttons and RGB backlights behind each button. It can control lights, curtains, and scenes and can come engraved with any text.

KEY BENEFITS

- ➕ Control your lights and dimmers
- ➕ Open and close your motorized curtains and shades
- ➕ Set your favorite mood
- ➕ Built-in temperature sensor
- ➕ Built-in relays

KEY FEATURES

- ★ Wall-mounted touch panel
- ★ Available with different covers: plastic, black and white glass, and aluminum
- ★ Available with customized text engraving
- ★ Sol fits UK/EU junction box
- ★ Works with TIS-BUS Protocol



TIS SOL 3 GANG PANEL















3-Gang Touch Panel

Model: TIS-SOL-3G

TIS



PRODUCT SPECIFICATIONS

	Input	Temp sensor	Resistive temp sensor
	Output	Relay Switch	2=3 Relay outputs 5A
	TIS Bus	Number of devices on 1 line Bus voltage Current consumption	Max. 64 12-32 V DC <60 mA / 24 V DC
	Protection	Protection	Reverse polarity protection ESD protection
	Reaction time		approx. 20ms
	Mounting	Wall mount	with 2 screws on the back box (UK, Europe)
	Touch	Active area Touch type	3 buttons Capacitive
	Operating and display elements	Touch buttons Backlight TIS bus Upgrading	2-3 touch buttons for control 2-3 RGB indicators TIS protocol messages and commands Rs485 upgrade kit
	Functions	1 Press Long Press Double click	ON/OFF/Scene Dim or turn up the lights Extra scene
	Weight	Without packaging	200 g
	Dimensions	LCD with the cover	86mm × 89mm × 39.67mm
	Housing	Materials Casing color Internal Parts color IP rating	PC anti fire / Glass in front Aluminum, glass, or plastic frame Black IP 50
	Temperature range	Operation Storage Transport	-10...60°C -20...50°C -25...75°C
	Air humidity		<80% non-condensing



Copyright © 2025 TIS, All Rights Reserved

TIS Logo is registered trademark of TIS CONTROL.
All of the specification are subject to change without notice.

TIS CONTROL PTY LIMITED
SA, AUSTRALIA

TIS CONTROL LIMITED
Wanchai, Hong Kong






www.tiscontrol.com

TIS SOL 3 GANG PANEL

3-Gang Touch Panel

Model: TIS-SOL-3G

TIS



TIS

Copyright © 2025 TIS, All Rights Reserved
TIS Logo is registered trademark of TIS CONTROL.
All of the specification are subject to change without notice.

TIS CONTROL PTY LIMITED
SA, AUSTRALIA

TIS CONTROL LIMITED
Wanchai, Hong Kong

www.tiscontrol.com