

TIS VENERA SERIES

Touch Wall Switch

Model: VEN-AC-4R-HC

Data Sheet Rev 3.2







OVERVIEW

This product is a thermostatic wall switch with an OLED and touch buttons designed for indoor climate control. It offers real-time temperature readings and is perfect for optimizing energy consumption.

KEY BENEFITS

- Compatibility with other TIS solutions
- Improved energy efficiency
- Suitable for all types of back boxes
- Applicable in home, hotel & office rooms

KEY FEATURES

- Direct connection to WiFi network
- Compatibility for horizontal & vertical mounting
- Equipped with a 1.5" OLED
- ★ Programmable for scenes & presets
- Controllable through TIS App.











TIS VENERA SERIES



Touch Wall Switch Model: VEN-AC-4R-HC



PRODUCT SPECIFICATIONS			
Ţ	Output	Number of channels Nominal voltage Nominal current per channel	4 relays for cool, heat and fan speed control 110-230 V AC 50/60 Hz 3 A / 230 VAC
<u> </u>	Output switching current	Max. continues current Max. switching voltage	3A/230 VAC 277VAC / 30VDC
<u> </u>	Output service life	Mechanical endurance	> 10,000,000 OPS
<u>.</u>	Output switching times	Operating time Releasing time Max. operating frequency	8 mS (at nomi. Volt) 5 mS (at nomi. Volt) 25 cycle/min
TISÂÎR	TIS AIR	WIFI Signal Protocol Standard	2.4 GHz 802.11 b/g/n
(}	Reaction time		approx. 30ms
S O	Mounting	Wall mount	To US, EU, UK junction boxes
† ! †	Operation	Display Touch buttons Temp sensor Backlit TIS AIR Upgrading	1.5" 2 control buttons Internal resistive temp sensor 2 LED indicators TIS protocol messages & commands Over WIFI connection
Å	Weight	Without packaging	21g
+	Dimensions	Length × Width × Height	85mm × 42mm × 109mm
	Housing	Materials Internal parts color IP rating	Fireproof PC / Glass in front Black / White IP 50
ß	Temperature range	Operation Storage Transport	-1060°C -2050°C -2575°C
8	Air humidity		<80% non-condensing



TIS VENERA SERIES



Touch Wall Switch Model: VEN-AC-4R-HC





